

DH-PFA6330X Water-proof Junction Box



\cdot Built of aluminum alloy and is cost-effective.

- \cdot Suitable for a variety of cameras and is elegant.
- \cdot Up to 2 cameras can be connected to the device. This simplifies wiring and reduces the number of installation points typically required,
- allowing you to enjoy the benefits of monitoring with 2 cameras.
- \cdot An EOC, PoE extender or power module can be installed in the device.



Environment

Protection	IP66
Operating Temperature	-40 °C to +60 °C (-40 °F to +140 °F)
Operating Humidity	< 90% (RH)
Storage Temperature	-40 °C to +60 °C (-40 °F to +140 °F)
Storage Humidity	10%–90% (RH)
Anti-corrosion Level	Basic Protection

Ordering Information		
Туре	Model	Description
Camera Mount	DH-PFA6330X	Water-proof Junction Box

Installation



Series Overview

Dahua Junction Box is beautifully designed and highly convenient. Cables can be organized in it and there are outlets at the bottom and side of the box, making it easy to install and use.

Scene

Ideal for mounting cameras, and works in temperatures ranging from -40 °C to +60 °C (-40 °F to +140 °F) and in environments with a relative humidity of less than 90%.

Technical Specification

Structure

Casing Material	Aluminum alloy
Product Dimensions	173.0 mm × 133.9 mm × 143.8 mm (6.81" × 5.27" × 5.66") (L × W × H)
Appearance Color	White
Net Weight	0.66 kg (1.46 lb)
Gross Weight	0.98 kg (2.16 lb)
Load Bearing	3.0 kg (6.61 lb)
Installation	Junction mount
Screw Thread Type	G 3/4
Applicable Model	Please see "Camera Accessories Selection"
Packaging Dimensions	212.0 mm × 174.0 mm × 182.0 mm (8.35" × 6.85" ×7.17") (L × W × H)

Dimensions (mm[inch])



Package Information

- Water-proof junction box × 1
- M4×10 screw × 8
- Water joint × 1
- ST4×25 screw × 4
- Plastic expansion bolt × 4
- S3.0 Wrench × 1
- Mounting Sticker × 1

Rev 002.000 © 2024 Dahua. All rights reserved. Design and specifications are subject to change without notice. The images, specifications and information mentioned in the document are only for reference, and might differ from the actual product.