« Comelif



6700W

MINI BLACK/WHITE MONITOR, SBTOP



Wall-mounted monitor with 4.3" 16/9 B/W screen and handset. Allows brightness and contrast control, plus adjustment of the volume of the ringtone, which can be customised with a choice of different melodies. Equipped as standard with 4 soft touch buttons for door-opening, self-ignition, switchboard call and privacy service functions and with door status indicator LEDs. Manages floor door calls as standard. Option of adding 4 additional buttons with accessory Art. 6733W. Complete with 2 x 8-position DIP-switches for user code programming and button programming. Includes wall-mounting or residential series box backplate and riser distribution terminal Art. 1214/2C. The monitor can only be used in 2-wire SimplebusTop Color systems. Dimensions: 175x160x22mm.

AWARDS

DESIGN MILANO



MINI BLACK/WHITE MONITOR, SBTOP

MAIN FEATURES	
Audio system:	No
Audio/video system:	Yes
Flush-mounted:	No
Wall-mounted:	Yes
Desk base-mounted:	Yes
Hands-free function:	No
Induction loop function:	No
Type of display:	LCD
Display size (inch):	4,3'' 16:9
Touch screen display:	No
Display resolution HxV (mm):	480x272
Product colour:	White RAL9016
Sensitive Touch technology:	Yes
Total buttons:	4
Additional buttons:	4
LED signaling (no.):	2
Comaptibility with Video Entry Comelit App:	No

FUNCTIONS	
Actuator control function:	Yes
Self-ignition:	Yes
Switchboard call function:	Yes
Priority calls:	Yes
Intercom function:	Yes
Selective intercom call:	Yes
Call to multiple addresses:	Yes
Call forwarding:	Yes
Privacy function:	Yes
Doctor:	Yes
Floor door call function:	Yes
Electronic bell:	Yes
Customisable ringtone:	Yes
Privacy conversation function:	Yes
Key button function:	Yes

HARDWARE SPECIFICATIONS		
Removable terminals:	Yes	
SETTINGS		

Yes

The technical specifications are subject to variations without warning.



MINI BLACK/WHITE MONITOR, SBTOP

SETTINGS	
Microphone volume control:	Yes
Ringtone volume control:	Yes
Display brightness control:	Yes
Display contrast control:	Yes

GENERAL DATA	
Product height (mm):	175,01
Product width (mm):	160,02
Product depth (mm):	22,1

COMPATIBILITY	
Simplebus Top audio/video system:	Yes
Building Kit audio/video system:	Yes
Kit audio/video system:	Yes

TECHNICAL CHARACTERISTICS	
Power supply voltage:	0 ÷ 22
Maximum current absorption (mA):	200
IP protection rating:	IP30
Operating temperature (°C):	-5 ÷ 40
RH max operating humidity (%):	0 ÷ 25
Video encoding:	PAL/NTSC
Product weight (g):	0
Clamps:	L L CFP1 CFP2



MINI BLACK/WHITE MONITOR, SBTOP

CCESSORIES		
	6710	BACKPLATE AND DISTRIBUTION TERMINAL FOR MINI MONITOR Wall-mounting or residential series box backplate for MINI monitor, /BM versions with handset featurin magnetic induction for hearing aid wearers. Also includes riser distribution terminal Art. 1214/2C. Dimensio 145x100x4 mm.
	6711W	ADAPTER PLAQUE FOR MINI MONITOR W/ HANDSET. WHITE. Mounting accessory for Mini Monitor when replacing Magis or Genius door entry monitors. Complete w backplate art. 6710 and distribution terminal art. 1214/2C. White. Dimensions: 300x260x4 mm.
	6711WS	MINI HANDSET SMALL ADAPTER PLAQUE Mounting accessory for Mini Monitor when replacing Magis or Genius door entry monitors. White. Dimensior 230x220x4 mm.
C~ 1 2 3 4 5 6 <i>M</i>	6733W	ADDITIONAL BUTTONS KIT FOR MINI MONITOR, WHITE Accessory for transforming MINI monitors Art 6700W-/BM and 6701W-/BM into versions with 8 buttor Includes an 8-button faceplate and an electronic module for activating the buttons, which can be installed quick without opening up the monitor.
C~ 123456 ₩	6735W	Add.butt. kit for Mini monitor w/handset, ViP Accessory for conversion of Mini ViP series monitors Art 6702W into 7-button versions. Includes a 7-buttor faceplate and an electronic module for button activation, which can be installed quickly without the need to ope the monitor casing.
	6719W	HANDS-FREE MINI VIDEO SBT EXTERNAL CABLE ACCESS. Wall support bracket for Mini monitor with handset allowing thru-routing of external cable Dimensions:164x149.60x19mm.



MINI BLACK/WHITE MONITOR, SBTOP

ACCESSORIES

6719V

MINI VIDEO VIP W/HANDSET EXTERNAL CABLE ACCESS.

Wall bracket for ViP system Mini monitor with handset; allows through-routing of external cables.

6712V	Desk base for Mini ViP monitor with handset Desk base for desktop conversion of ViP system Mini monitor with handset. Complete with 1x 2 metre cable with RJ45 connector to connect monitor terminals to the coupler or residential series socket.
6712	DESK BASE FOR MINI MONITOR Desk base converts the MINI monitor into a desktop version. Complete with 1 x 2 m labelled RJ45 cable for connecting the monitor terminals to the clasp or to a residential series jack. Dimensions: 145x190x120 mm.DESK BASE FOR MINI MONITOR
6712A	Desk base for Mini Sbc monitor with handset Desk base installation accessory for Mini monitor with handset in Simplebus Top system.