



**KAE5063**

## EXTRA-MINI 5-WIRE THREE-FAMILY AUDIO KIT



The kit includes: three Mini series door-entry phones art. 2702W, a transformer art. 1200, an Extra series external unit designed for 2/4 call buttons art. ET5100, 4 single buttons for Extra entrance panel art. ET9211. The kit can be expanded with another door-entry phone for each user. The external unit can be surface-mounted or flush-mounted using the corresponding accessories supplied with the kit.

## AWARDS





**KAE5063**

## EXTRA-MINI 5-WIRE THREE-FAMILY AUDIO KIT

KIT PRODUCT



**ET5100**

**EXTRA 4+N ENTRANCE PANEL PREPARED FOR 2/4 BUTTONS**

Extra series audio entrance panel with stainless steel cover and nameplate backlighting. For use with single button art. 9211 (pack of 4 units) to offer 4 call buttons, or with double-height button art. 9210 (pack of 2 units) to offer 2 call buttons. The entrance panel can be surface-mounted or flush-mounted using the relevant accessories supplied. Traditional 4 + N wiring system. Dimensions (W x H x D): 95x165x6.5 mm (flush) - 25 mm (surface).

### MAIN FEATURES - ET5100

Type:	Monoblock
Type of finish:	Stainless steel
Audio system:	Yes
Flush-mounted:	Yes
Wall-mounted:	Yes
Buttons to call:	Yes
Total buttons:	4



**2702W**

**2-BUTTON MINI DOOR-ENTRY PHONE, TRADITIONAL**

MINI series door-entry phone for traditional system with electronic call and key button. Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light. Dimensions: 105x191x28 mm

### MAIN FEATURES - 2702W

Audio system:	Yes
Wall-mounted:	Yes
Desk base-mounted:	Yes
Colour:	White
Total buttons:	2



**1200**

**TRANSFORMER 10VA 0-230V/0-12V**

Transformer with 230V primary winding, 12V AC / 900 mA secondary winding for continuous use. Dimensions: 53x95x65 mm (3 DIN modules).



**KAE5063**

**EXTRA-MINI 5-WIRE THREE-FAMILY AUDIO KIT**

MAIN FEATURES - 1200

Supply voltage (VAC):	230
Output supply voltage (VAC):	12
Input connector:	Terminal block
Applicable to DIN rail:	Yes
Number of DIN modules:	3
Max. current delivered (A):	0,90



**KAE5063**

## EXTRA-MINI 5-WIRE THREE-FAMILY AUDIO KIT

### ACCESSORIES



**ET5100**

**EXTRA 4+N ENTRANCE PANEL PREPARED FOR 2/4 BUTTONS**

Extra series audio entrance panel with stainless steel cover and nameplate backlighting. For use with single button art. 9211 (pack of 4 units) to offer 4 call buttons, or with double-height button art. 9210 (pack of 2 units) to offer 2 call buttons. The entrance panel can be surface-mounted or flush-mounted using the relevant accessories supplied. Traditional 4 + N wiring system. Dimensions (W x H x D): 95x165x6.5 mm (flush) - 25 mm (surface).



**ET9211**

**4 SINGLE BUTTONS FOR EXTRA ENTRANCE PANEL**

Single buttons for use with the Extra series entrance panel with traditional wiring art. ET5100. Pack of 4 pcs.



**2702W**

**2-BUTTON MINI DOOR-ENTRY PHONE, TRADITIONAL**

MINI series door-entry phone for traditional system with electronic call and key button. Call volume and privacy adjustment by means of 3-position selector. Privacy activation is indicated by a red light. Dimensions: 105x191x28 mm



**1200**

**TRANSFORMER 10VA 0-230V/0-12V**

Transformer with 230V primary winding, 12V AC / 900 mA secondary winding for continuous use. Dimensions: 53x95x65 mm (3 DIN modules).



**ET9150**

**Flush-mounted box for Extra entrance panel kit**

Flush-mounted box for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: 134.5 x 93.5 x 25 mm



**ET9160**

**Wall bracket for Extra entrance panel kit**

Wall housing for Extra series external unit art. ET5001 - ET5002 - ET0001. Dimensions: 94 x 134 x 19 mm



**KAE5063**

## EXTRA-MINI 5-WIRE THREE-FAMILY AUDIO KIT

### ACCESSORIES



#### **1229A**

#### ADDITIONAL RINGTONE ACCESSORY. S2

Wall-mounted accessory for additional ringtone for direct connection to 2-wire bus. Allows ringtone selection and adjustment of ringtone volume with privacy function, equipped with dip switches for user code programming, floor door call input terminals and call repeat. Fitted with distribution terminal art. 1214/2C. Dimensions: 125x95x24mm.