





KITVISTO/C

WI-FI VISTO KIT WITH POWER SUPPLY UNIT AND BELL



Kit composed of art. Visto (smart doorbell), 3532 (chime), 3534 (power supply). Italian designed smart doorbell wich allow audio/video communication from the door to the smartphone/tablet using the Wi-Fi network. Complete with wireless bell and power supply. With the Visto app You will always be in touch with what is going on at your house, if You are accross town or even in another country. Dark graphite RAL9011 colour.

AWARDS







KITVISTO/C

WI-FI VISTO KIT WITH POWER SUPPLY UNIT AND BELL

KIT PRODUCTS



3534 24VDC POWER SUPPLY UNIT WITH EU-UK-US PLUG

Power supply for Visto smart doorbell, input voltage $110 \div 240$ VAC, output voltage 24 VDC. Interchangeable plugs for the European, English and American markets supplied.

	MAIN FEATURES
Supply voltage	110÷240 VAC / 50÷60 Hz
Output supply voltage	24VDC
Output connector	Jack
Plug-in power supply unit	Yes

	GENERAL DATA
Type of finishing materials	Plastic
Product color	Black
Operating temperature (°C)	5 ÷ 40
Operating humidity (RH max) (%)	25 ÷ 95







KITVISTO/C

WI-FI VISTO KIT WITH POWER SUPPLY UNIT AND BELL



KITVISTO WI-FI VISTO KIT

Italian designed smart doorbell wich allow audio/video communication from the door to the smartphone/tablet using the Wi-Fi network. Complete with adapter to use the already existing doorbell power supply (12÷20VAC or 12÷33VDC) and to interface the existing doorbell chime. With the Visto app You will always be in touch with what is going on at your house, if You are accross town or even in another country. Dark graphite RAL9011 colour.



4/7



KITVISTO/C

WI-FI VISTO KIT WITH POWER SUPPLY UNIT AND BELL

3532 ADDITIONAL WIRELESS BELL FOR VISTO KIT

Wireless additional bell for Visto smart doorbell, 433 MHz operating frequency, adjustable volume, various selectable melodies, powered by 2 batteries (size AA, 1.5V, not included), wall mounting, white/silver color.

	MAIN FEATURES
Height (mm)	116
Width (mm)	53
Depth (mm)	33
Operating temperature (°C)	5 ÷ 40
Operating humidity (RH max) (%)	25 ÷ 95

	GENERAL DATA
Product color	White/Dark grey
Customisable ringtone	Yes

MOUNTING/INSTALLATION	
Wall-mounted	Yes



3528





KITVISTO/C

WI-FI VISTO KIT WITH POWER SUPPLY UNIT AND BELL

ACCESSORIES

ADAPTER PLATE FOR VISTO KIT



Plate for the installation of the Visto smart doorbell on existing recessed boxes type 503 (horizontal and vertical) with interaxis of 83.5mm, square boxes with interaxis of 62mm, box type 502/German/round with interaxis of 60mm. Made of PMMA, white color.



APP COMELITVISTO COMELIT APP FOR VISTO SERIES SYSTEMS

The Visto app is the main interface which allows users to easily interact with the Visto smart doorbell and additional cameras. It allow full two-way communication with HD resolution video and crystal clear audio. It is possible to view the images of all the cameras of the Visto smart doorbells and of the additional cameras which might be in the system. You can view all recorded images and videos stored on your device or on the cloud.





KITVISTO/C

		ACCESSORIES
È	VISTOCAM	ADDITIONAL CAMERA FOR KITVISTO
		Visto Cam is an indoor camera that allows you to watch over the inside of the home or the workplace for greater comfort and safety. Check what your children are doing or what problems the pet may have created Always be at home, even when you are around the world.
4	3530	WALL BRACKET FOR VISTO CAMERA
a		Spare bracket for VISTOCAM camera, plastic base, steel joint.
	3527W	CLOUD WHITE COVER FOR VISTO EXTERNAL UNIT
		Cover replacement for Visto smart doorbell. Plastic material, cloud white RAL9003 color.
	35275	SILVER MIST COVER FOR VISTO EXTERNAL UNIT
	Cover replacement for Visto smart doorbell. Plastic material, silver mist RAL9006 color.	
3527В	DARK GRAPHITE COVER FOR VISTO EXTERNAL UNIT	
		Cover replacement for Visto smart doorbell. Plastic material, dark graphite RAL9011 color.
3525	LEFT-RIGHT ADJUSTABLE BRACKET FOR VISTO	
		Left/right adjustable bracket for Visto smart doorbell, 20° horizontal inclination, plastic material, silver mist RAL9006 colour.



3522



7/7

KITVISTO/C

WI-FI VISTO KIT WITH POWER SUPPLY UNIT AND BELL

ACCESSORIES



ADAPTER FOR WI-FI VISTO KIT

Voltage adapter for Visto smart doorbell. Input voltage $12 \div 20$ VAC, output for powering the Visto smart doorbell. It is possible to control already existing bells. Case in plastic material, dark graphite RAL9011 color. Dimensions (W x H x D): 59 x 40 x 14mm.