



VISTOCAM

ADDITIONAL CAMERA FOR KITVISTO



Visto Cam is an indoor camera that allows you to watch over the inside of the home or the workplace for greater comfort and safety. Check what your children are doing or what problems the pet may have created. Always be at home, even when you are around the world.

AWARDS

DESIGN
MILANO



VISTOCAM

ADDITIONAL CAMERA FOR KITVISTO

MAIN FEATURES

Camera sensor	1/4" CMOS
Lens optical dimensions (mm)	1.6
Horizontal FoV (°)	138
Vertical FoV (°)	102
Diagonal FoV (°)	170
Electronic shutter (s)	1/25÷100000
Sensitivity (lux)	0 (led IR ON)
IR filter	Mechanical
Video resolution (H x V - pixel)	1280x720 (HD 720p), 320x240

SOFTWARE/FIRMWARE SPECIFICATIONS

Video compression	H.264
Frame rate	25fps
Protocols supported	802.11b/g/n (Wi-Fi, 2.4GHz), DDNS, DHCP, HTTP, NTP, SMTP, TCP/IP, P2P
Network security	WEP, WPA, WPA2
Remote control by mobile	App Comelit Visto (Android, iOS)

FUNCTIONS

Main functions	Push notification, Wi-Fi, Audio two way, full-duplex, echo canceler, noise canceler, Micro-SD (class 10, max 32GB), local and cloud video recording
----------------	---

HARDWARE SPECIFICATIONS

No. IR LEDs / Max. distance	3 led / 5m
Audio Inputs/Outputs	1 microphone / 1 speaker
LAN output type	Ethernet 10/100 Mbit/s (RJ45)

GENERAL DATA

Max absorption (W)	12
Height (mm)	136

**VISTOCAM****ADDITIONAL CAMERA FOR KITVISTO**

GENERAL DATA	
Width (mm)	46
Depth (mm)	30
Product weight (g)	100
Type of finishing materials	Polycarbonate, ABS
Product color	White RAL9003
Operating temperature (°C)	5 ÷ 40
Operating humidity (RH max) (%)	25 ÷ 75
Supplied accessories	Power supply